



November 21, 2013

Mr. Robert Solleder
Douglas Barwick, Inc.
150 California Avenue
Box 756
Brockville, ON K6V 5W1

Re: Certification to NSF/ANSI 61, NSF/ANSI 372

Dear Mr. Solleder,

NSF International has certified the attached list of stainless steel pipe, fittings and fabricated products produced by Douglas Barwick, Inc. to NSF/ANSI Standard 61: Drinking Water System Components – Health Effects, as well as NSF/ANSI Standard 372: Drinking Water Systems Components – Lead Content.

This certification to NSF/ANSI 61 Annex G, NSF /ANSI 372 verifies compliance with the lead content requirements for “lead free” plumbing as mandated by California, Vermont, Maryland, and Louisiana state laws as well as the U.S. Safe Drinking Water Act requirements scheduled to take effect January 4, 2014.

This certification also verifies compliance with the requirements of the Texas Administrative Code Title 30, Part 1, Chapter 290, Subchapter D, Section 290.44 part a 1 and 2 which mandates that pipes and related products be NSF/ANSI Standard 61 Certified.

Please feel free to contact me directly if you have any questions or concerns.

Sincerely,

A handwritten signature in black ink, appearing to read "D Purkiss".

David Purkiss
General Manager
Water Treatment and Distribution Systems
NSF International
Phone: +1-734-827-6855
Email: Purkiss@nsf.org



OFFICIAL LISTING

NSF International Certifies that the products appearing on this Listing conform to the requirements of NSF/ANSI Standard 61 - Drinking Water System Components - Health Effects

This is the Official Listing recorded on November 20, 2013.

Douglas Barwick Inc.
150 California Avenue
Box 756
Brockville, Ontario K6V 5W1
Canada
613-342-8471

Facility: Brockville, Ontario, Canada

Pipes and Related Products

Trade Designation	Size	Water Contact Temp	Water Contact Material
Fittings [1] [2] [G] [372]			
Douglas Barwick Stainless Steel 45° Lateral	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 45° Lateral	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 45° Mitered Elbow	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 45° Mitered Elbow	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 45° Smooth Elbow	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 45° Smooth Elbow	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Long Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Long Radius	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Short Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Mitered Elbow Short Radius	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Long Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Long Radius	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Short Radius	8" - 96"	C. HOT	SS
Douglas Barwick Stainless Steel 90° Smooth Elbow Short Radius	3/4" - 96"	CLD 23	SS
Douglas Barwick Stainless Steel Blind Flange	8" - 96"	C. HOT	SS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Douglas Barwick Stainless Steel Blind Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Butt Weld Angle Collar	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Butt Weld Angle Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Concentric Reducer	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Concentric Reducer	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Coupling	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Coupling	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Cross	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Cross	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Eccentric Reducer	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Eccentric Reducer	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Ellipsoidal Cap	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Ellipsoidal Cap	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Lap-Joint Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Lap-Joint Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Long Neck Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Long Neck Collar	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Pressed Collar	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Pressed Collar	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Reducing Tee	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Reducing Tee	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Slip-On Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Slip-On Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Socket Welding Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Socket Welding Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Stub-End Type "A"	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Stub-End Type "A"	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Stub-End Type "B"	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Stub-End Type "B"	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Tee	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Tee	8" - 96"	C. HOT SS

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.



Douglas Barwick Stainless Steel Threaded (Screwed) Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Threaded (Screwed) Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Welding Neck Flange	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Welding Neck Flange	3/4" - 96"	CLD 23 SS
Douglas Barwick Stainless Steel Wye	8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Wye	3/4" - 96"	CLD 23 SS
Pipe		
Douglas Barwick 2205 Stainless Steel Pipe	3/4" - 96"	CLD 23 SS
Douglas Barwick 304/304L Stainless Steel Pipe	3/4" - 3", 12" - 96"	C. HOT SS
Douglas Barwick 304/304L Stainless Steel Pipe	3/4" - 96"	CLD 23 SS
Douglas Barwick 304/304L Stainless Steel Pipe Spools	[3] 24" - 96"	C. HOT SS
Douglas Barwick 316/316L Stainless Steel Pipe	3/4" - 3", 8" - 96"	C. HOT SS
Douglas Barwick 316/316L Stainless Steel Pipe	3/4" - 96"	CLD 23 SS
Douglas Barwick 316/316L Stainless Steel Pipe Spools	[3] 8" - 96"	C. HOT SS
Douglas Barwick Stainless Steel Pipe Spools	[3] 3/4" - 96"	CLD 23 SS

- [1] This product may be marked with an alternate trade name: Douglas Barkwick Inc.
- [2] Only products bearing the NSF Mark on the product, product packaging, and/or documentation shipped with the product are Certified.
- [3] Certified for custom fabricated stainless steel 304/304L and 316/316L pipes, fittings, pipe spools, or fabricated assemblies, welded by using approved procedures for GTAW, or GTAW/GMAW, and cleaning procedures associated with ASTM A380.
- [G] Product complies with NSF/ANSI 61 Annex G, NSF/ANSI 372 and conforms with lead content requirements for "lead free" plumbing as defined by California, Vermont, Maryland, and Louisiana state laws and the U.S. Safe Drinking Water Act due to take effect January 2014.

[372] Product also complies with NSF/ANSI 372

Note: Additions shall not be made to this document without prior evaluation and acceptance by NSF International.